



W = 40" FOR 15" DIA. PIPE & SMALLER
W = 1-1/2 X PIPE DIA. + 18" FOR PIPE
LARGER THAN 15" DIA.

TYPICAL TRENCH

NO SCALE

NOTE: ALL DENSITIES SHALL
BE AS DETERMINED BY
MODIFIED PROCTOR (ASTM D1557).

* THE BACK FILL WITHIN PAVED CITY STREETS
MAY CONSIST OF CONTROL DENSITY FILL (CDF)
OR OTHER MATERIAL APPROVED BY THE CITY.

** TRENCH WIDTH IN PAVED ROADWAYS
ARE NOT TO EXCEED 6'-0". IF CONDITIONS
REQUIRE A WIDER TRENCH, A SPECIAL
DESIGN MUST BE SUBMITTED AND
APPROVED BY THE CITY.

*** AN ASPHALT ROADWAY OVERLAY MAY BE
REQUIRED AS DETERMINED BY THE
PUBLIC WORKS DEPARTMENT. SEE
ASPHALT OVERLAY FOR ROADWAY TRENCH
REPAIR STANDARD DETAIL DRAWING NO. 202

APPROVED: WILLIAM J. CAMPBELL

REV. DATE: MARCH 03, 2008



STANDARD DETAILS

TYPICAL TRENCH

FILE	SD201.DWG	DRAWING NO.	201
------	-----------	-------------	------------